# Cumulative Index 1980, 1981, and 1982

Volumes 7, 8, and 9

#### SYMPOSIA

### 1980

March NEONATAL INTENSIVE CARE
September HIGH-RISK PREGNANCY—1980

### 1981

February DIFFICULT LABOR AND DELIVERY
June PERINATAL NEPHROLOGY
October PERINATAL INFECTIONS

## 1982

February Obstetric Anesthesia and Analgesia
June Fetal Monitoring
October Fluid Balance in the Newborn Infant

# Cumulative Index 1980, 1981, and 1982

Volumes 7, 8, and 9

#### SYMPOSIA

### 1980

March NEONATAL INTENSIVE CARE
September HIGH-RISK PREGNANCY—1980

### 1981

February DIFFICULT LABOR AND DELIVERY
June PERINATAL NEPHROLOGY
October PERINATAL INFECTIONS

## 1982

February Obstetric Anesthesia and Analgesia
June Fetal Monitoring
October Fluid Balance in the Newborn Infant

Note: The volume year is in *italic* type. Page numbers of symposium and article titles are in **boldface** type.

ABDOMINAL pain, acute, during pregnancy, 1980: Sept., 340-369

Abruptio placentae, anesthetic considerations, 1981: Feb., 145–147; 1982: Feb., 119–121

Abscess, brain, 1981: Oct., 448

Acetylcholinesterase assay, in diagnosis of neural tube defects, 1980: Sept., 236–237

Acid-base balance, and placental transfer of local anesthetics, 1982: Feb., 16–22, 31

fetal, 1981: Feb., 88–90 effects of meperidine on, 1982: Feb., 44–45

Acid-base values, fetal, prediction of, 1982: June, 353–361

Acidosis, fetal, 1982: June, 392–395 metabolic, in acute renal failure, 1981: June, 248

β<sub>2</sub> Adrenergic agents, for delaying labor, 1982: Feb., 127–129

Adult polycystic kidney disease, in newborn, 1981: June, 382–384

Alpha-fetoprotein, in diagnosis of neural tube defects, 1980: Sept., 234–236

Aminoglycosides, in newborn, monitoring of therapy, 1981: June, 268 renal effects, 1981: June, 234–235

Aminocentesis, premature rupture of membranes and, 1980: Sept., 247 Amnioscope, in fetal scalp blood sampling

Amnioscope, in fetal scalp blood sampling, 1981: Feb., 90–92

Amniotic fluid, alpha-fetoprotein levels, in diagnosis of neural tube defects, 1980: Sept., 234–236

hormones, in fetal evaluation, 1979: Sept., 265; 1980: Sept., 413–421 L/S ratio of, in diabetic pregnancy, 1980:

Sept., 309-310

rapidly adherent cells in, in diagnosis of neural tube defects, 1980: Sept., 237– 238 Amniotic fluid tests, for determining fetal maturity, 1982: June, 303-305

Anaerobic bacteria, antibiotic susceptibility of, 1981: Oct., 563

Analgesia. See also Anesthesia.

during labor, 1982: June, 373–374 obstetric, symposium on, 1982: Feb., 1– 224

systemic, during labor, 1982: Feb., 29–53

recommendations for use, 1982: Feb., 48-49

Analgesic drugs. See also specific agent, e.g., Meperidine.

systemic, disposition and distribution, 1982: Feb., 30–31

effects on fetal heart rate monitoring, 1982: Feb., 45 neurobehavioral effects, 1982: Feb.,

47-48 pharmacokinetics, 1982: Feb., 32-34

Anemia, acute renal failure and, in newborn, 1981: June, 248 congenital infection and, 1981: Oct., 500 sickle cell, in pregnancy, 1980: Sept.,

273–284
Anencephaly, ultrasonic diagnosis of, 1980:
Sept., 238

Anesthesia. See also Analgesia. caudal, 1982: Feb., 73

effects of maternal adaptations to pregnancy, 1982: Feb., 113–117, 136–

epidural, 1981: Feb., 152; 1982: Feb., 63–76

anatomic mechanisms, 1982: Feb., 63-

clinical evaluation, 1982: Feb., 66–67 complications, 1982: Feb., 72–73 contraindications, 1982: Feb., 71 effects on fetal heart rate monitoring,

1982: Feb., **55–62** 

Anesthetic (Continued)

epidural, effects on neonate, 1982: Feb., 67–69, 198–202, 206 for cesarean section, 1982: Feb., 70–71 indications, 1982: Feb., 71–72 pharmacology, 1982: Feb., 65–66 physiologic mechanisms, 1982: Feb., 64–65

fetal exposure, during nonobstetric surgery, 1982: Feb., 144–146 for breech deliveries, 1982: Feb., 77–87 for high risk obstetric patients, 1982: Feb., 113–134

for nonobstetric surgery during pregnancy, 1982: Feb., 135–152 for pregnancy-induced hypertension,

1982: Feb., 95-111 for pregnant diabetic nationt, 1982: F

for pregnant diabetic patient, 1982: Feb., 153–166 general, effect on neonatal neurobehavior,

1982: Feb., 207–208 obstetric, advantages, 1982: Feb., 220– 222

obstetric, as risk factor, 1981: Feb., 13 effects on neurobehavior of neonate, 1982: 191–214

1982: 191–214 in intrapartum emergencies, 1981: Feb., 145–154

objections to, 1982: Feb., 215–220 recent advances, 1982: Feb., 3–12 symposium on, 1982: Feb., 1–224 versus no anesthesia, 1982: Feb., 215–224

paracervical block, effect on neonatal neurobehavior, 1982: Feb., 200–201 pudendal block, effect on neonatal

neurobehavior, 1982: Feb., 201–202 regional, obstetrical forceps and, 1981: Feb., 71–72

spinal, 1981: Feb., 152

Anesthetic drugs, local, epinephrine added to, 1982: Feb., 20–21, 69

placental transfer, *1982*: Feb., **13–28** acid-base balance and, 1982: Feb., 16–20, 31

effect of dosage, 1982: Feb., 21–22 protein binding and, 1982: Feb., 16–20, 31

uteroplacental blood flow and, 1982: Feb., 15, 31

teratogenicity, 1982: Feb., 143–144 Antibiotics, in newborn, monitoring of therapy, 1981: June, 263–272 renal effects, 1981: June, 222, 234–235

sensitivity testing, 1981: June, 264 Antidiuretic hormone, in newborn, inappropriate levels, 1982: Oct., 548–549

renal function and, 1981: June, 233–234, 259–260

Antimicrobial agents, 1981: Oct., 559–577 clinical pharmacology of, 1981: Oct., 563– 565

Antimicrobial susceptibility testing, 1981: Oct., 553

Apgar scores, umbilical cord acid-base determinations and, 1982: June, 388–392 Apgar scoring, 1982: Feb., 182–186 Appendicitis, in pregnant patients, 1980: Sept., 353–359

Ascites, fetal, 1980: Sept., 406-407

Asphyxia, fetal, effect on placental transfusion, 1982: Oct., 571–574 related to nonobstetric surgery, 1982:

Feb., 146–147 in labor, 1982: June, 313–314 perinatal, renal complications in, 1981: June, 220–221, 259–260

Assisted ventilation, 1980: March, 61–74 complications, 1980: March, 114–116 weaning patient from, 1980: March, 71–

Bacterial infection, congenital, jaundice with, 1981: Oct., 469 neurologic manifestations of, 1981: Oct., 446–450

diagnosis, of, 1981: Oct., 537–558 prevention of, 1981: Oct., 611–613 treatment of, 1981: Oct., 559–577

Barbiturates, obstetric, effect on neonatal neurobehavior, 1982: Feb., 202

Baroreceptors, fetal cardiac activity and, 1982: June, 327

Behavior, activity and, effect on insensible water loss in neonates, 1982: Oct., 461–462

fetal, fetal heart rate and, 1982: June, 434–436

Beta-hemolytic streptococcal infection, in pregnancy, 1980: Sept., 250

Beta mimetic agents, in premature labor, 1980: March, 8–10

Bilirubin, in newborn, renal function and, 1981: June, 235

Bilirubin encephalopathy, kernicterus and, 1980: March, 75–92

Bilirubin levels, laboratory measurement, 1980: March, 80–82

Biochemical indices, in assessment of high risk pregnancy, 1980: Sept., 413-421

Biophysical profile scoring, fetal, 1982: June, 285–296

Birth, injuries, 1981: Feb., 111–129 natural, cord severance and, 1982: Oct , 569–570

premature, prevention of, 1980: March, 3–15

Birth (Continued)

preparation for, Lamaze method, 1981: Feb., 201

process of, effects on parents, 1981: Feb., 197-210

weight, very low, infant mortality and, 1981: Feb., 183-195

Bishop's pelvic score, 1981: Feb., 43, 54 Bladder, diverticula, in newborn, 1981: June, 283

dysfunction, in prune belly syndrome, 1981: June, 283

neurogenic, in newborn, 1981: June, 282 Blood, disorders, platelet, in pregnancy, 1980: Sept., 327–348

Rhesus factor, intrauterine transfusion and, 1980: Sept., 285–297 sickle cell pregnancy and, 1980: Sept.,

273-284 fetal, sampling, 1981: Feb., 87-94

complications of, 1981: Feb., 112-113 volume, fetoplacental, perinatal

redistribution, 1982: Oct., 559–592 Body temperature, effect on insensible water loss, 1982: Oct., 462

Body water, homeostasis, symposium on, 1982: Oct., 453-657

insensible loss of, in newborn, 1981: June, 246, 254; 1982: Oct., 453– 482

radiant warmers and, 1982: Oct., 472, 475, 483-503

Brachial plexus, birth-related injury, 1981: Feb., 123, 124

Bradycardia, fetal, prolonged, 1982: June, 332–334

Brain abscess, 1981: Oct., 448

Breech delivery. See under *Delivery* and *Fetus*, *presentation*.

Bronchopulmonary dysplasia, 1980: March, 115

Butorphanol, for systemic analgesia during labor, 1982: Feb., 41

Candida albicans infection, 1981: Oct., 542 Cardiac disease, congenital infections and, 1981: Oct., 481–497

Cardiac failure, effect on insensible water loss, 1982: Oct., 463

Cardiovascular disorders, associated with nonimmune hydrops fetalis, 1982: Oct., 614

Cardiovascular drugs, effect on mother and fetus, 1981: Feb., 161-162

Cardiovascular system, maternal, adaptations during pregnancy, 1982: Feb., 140–141 Cardiovascular system (Continued) maternal, in labor and delivery, 1981: Feb., 155–157

Cataracts, with congenital rubella, 1981: Oct., 419, 423–425

Catecholamines, in newborn, renal function and, 1981: June, 229–230

Catheters, peripheral, complications, 1980: March, 111–112 ambilical, complications, 1980: March,

108–111 Cephalohematoma, as birth injury, 1981:

Feb., 65–66, 118 Cephalopelvic disproportion, cesarean section and, 1981: Feb., 102–103

Cerebral calcifications, congenital infection and, 1981: Oct., 452

Cerebrospinal fluid analysis, for congenital infections, 1981: Oct., 457–459

Cervix, ripening of, labor induction and, role of prostaglandins, 1981: Feb., 49-62 Cesarean section, breech perinatal mortality

and, 1981: Feb., 177–178 current trends, 1981: Feb., 101–109 effect on placental transfusion, 1982:

Oct., 570–571 epidural anesthesia for, 1982: Feb., 70– 71

for breech delivery, anesthesia for, 1982: Feb., 86, 89–90

for multiple delivery, anesthesia for, 1982: Feb., 87–89

in diabetic patient, glucose and insulin therapy for, 1982: Feb., 159–161 in mothers with pregnancy-induced

hypertension, anesthetic management, 1982; Feb., 107–109

premature rupture of membranes and, 1980: Sept., 251 vaginal delivery after, 1981: Feb., 131-

143 Chemoreceptors, fetal cardiac activity and,

1982: June, 326–327 Chest tubes, in neonates, complications of, 1980: March, 116–117

Chickenpox, during pregnancy, 1980: Sept., 266–268

Childbirth, process of, effects on parents, 1981: Feb., 197-210

Chlamydial infection, of eye, 1981: Oct., 548

Chloramphenicol, in newborn, monitoring of therapy, 1981: June, 268

Cholecystitis, in pregnant patients, 1980: Sept., 359–362

Chorioamnionitis, premature rupture of membranes and, 1980: Sept., 244, 246– 247

Chorioretinal lesions, syphilitic, at birth, 1981: Oct., 417

Chorioretinitis, herpetic, 1981: Oct., 438 Chromosomal disorders, associated with nonimmune hydrops fetalis, 1982: Oct., 617

renal malformations in, 1981: June, 365–367

Clavicle, fracture, as birth injury, 1981: Feb., 120

Coagulation, disseminated intravascular, 1981: Oct., 502

Coagulopathy, congenital infection and, 1981: Oct., 502

Colloid osmotic pressure, 1982: Oct., 505–521

in medical practice, 1982: Oct., 517–520 measurement, 1982: Oct., 511–515 physiologic significance, 1982: Oct., 516– 517

Community hospital, in obstetric and neonatal care, 1980: March, 197–203 Computed tomography, in congenital

neurologic infections, 1981: Oct., 460 Computer technology, in neonatal intensive

Computer technology, in neonatal intensive care, 1980: March, 145–154

Concanavalin A, reactivity with alphafetoprotein, in diagnosis of neural tube defects, 1980: Sept., 236–237

Condylomato acuminata, during pregnancy, 1980: Sept., 270

Congenital infections. See also specific types of infection.

epidemiology of, 1981: Oct., 397–414 immunologic aspects of, 1981: Oct., 509– 516

Conjunctivitis, herpetic, congenital, 1981: Oct., 438

Contraception, sickle cell disease and, 1980: Sept., 283

Contraction stress test, 1980: March, 132; 1980: Sept., 388–391, 394

fetal breathing movements and, 1980: Sept., 427

for uteroplacental insufficiency, 1982: June, 265–270

contraindications, 1982: June, 267 estriol monitoring with, 1982: June, 268

Contractions, uterine. See *Uterine* contractions.

Convulsive seizures, infection and, 1981: Oct., 453

Corneal disease, herpetic, 1981: Oct., 438 Cryptococcus neoformans infection, 1981: Oct., 441

Cystic kidney disease, in newborn, 1981: June, 375–390

Cytomegalic inclusion disease, congenital, eye findings in, 1981: Oct., 433–437 roentgen findings in, 1981: Oct., 517– 536 Cytomegalic inclusion disease (Continued) congenital, diagnosis of, 1981: Oct., 579–589

heart disease with, 1981: Oct., 487 immunodeficiency with, 1981: Oct., 512

neurologic manifestations of, 1981: Oct., 454

during pregnancy, 1980: Sept., 264–266 hepatic, 1981: Oct., 472

perinatal, epidemiology of, 1981: Oct., 403–405

prevention of, 1981: Oct., 592–595, 609–611, 623–625

Data management, in NICU, 1980: March, 145-154

Death, neonatal, effect on parents, 1981: Feb., 206–207

Dehydroepiandrosterone sulfate (DHEAS), in fetal evaluation, 1980: Sept., 416

Delivery, breech, anesthetic considerations, 1982: Feb., 77–87

anesthetic management, 1982: Feb., 131–132

birth injuries and, 1981: Feb., 117–118 cesarean, anesthesia for, 1982: Feb., 86, 89–90

injuries associated with, 1982: Feb., 78–80

intrapartum management of, 1981: Feb., 173–181

vaginal, anesthesia for, 1982: Feb., 81, 90-92

cesarean section, current trends, 1981: Feb., 101–109

labor and, difficult, symposium on, 1981: Feb., 3–210

in twin gestations, 1980: Sept , '04-405 premature, 1980: March, 3-15 premature rupture of membranes

and, 1980: March, 17–31 method, in diabetic mother, 1981: Feb., 169–171

neonatal injuries associated with, 1981: Feb., 111–129

obstetrical forceps in, 1981: Feb., 63–77 premature, effect on parents, 1981: Feb., 204–205

timing, in diabetic mother, 1980: Sept., 304; 1981: Feb., 165–166

vacuum extractor in, 1981: Feb., 74–75, 79–86

vaginal, after cesarean section, 1981: Feb., 131-143

Diabetes, in pregnancy, 1980: March, 127–128; 1980: Sept., 299–311; 1981: Feb., 165–172

Diabetes (Continued)

in pregnancy, anesthetic and obstetric management, 1982: Feb., 153-166 insulin and diet therapy for, 1982:

Feb., 157 metabolic perturbation, 1982: Feb.,

154 perinatal morbidity, 1982: Feb. 155-

ultrasonic assessment of, 1980: Sept., 409–410

White's classification, 1982: Feb., 155-

Diagnostic techniques, prenatal. See under specific techniques and disorders.

Dialysis, during pregnancy, 1981: June, 312–313

in newborn, 1981: June, 249, 258

Diaphragm, paralysis, birth-related, 1981; Feb., 125, 126

Diarrhea, rehydration for, 1981: June, 258 Diazepam, for systemic analgesia during labor, 1982: Feb., 41 effect on neonatal neurobehavior,

1982: Feb., 202

Diazoide, in premature labor, 1980: March, 12

Diet, in management of diabetic pregnancy, 1982: Feb., 157

Disseminated intravascular coagulation, 1982: Oct., 502

obstetric syndromes and, 1980: Sept., 333–334

Distress, in postdate fetus, 1982: June, 382 Drug(s). See also specific agents.

antibiotic, in newborn, monitoring therapy, 1981: June, 263–272 effect on fetal heart rate variability, 1982:

June, 345–346

effect on placental transfusion, 1982: Oct., 570–571

interactions, in infants, 1981: June, 269 therapy, in newborn, renal function and, 1981: June, 221–222, 234–235

Ductus arteriosus, patent, fetal rubella and, 1981: Oct., 484 Dysmaturity, in postdate fetus, 1982: June,

Dysplasia, renal, in newborn, 1981: June, 363–364, 380–382

ECLAMPSIA, anesthetic management, 1982: Feb., 122–126

Ectopic kidney, in newborn, 1981: June, 363–364

Edema, effect on insensible water loss, 1982: Oct., 463

in the newborn lung, 1982: Oct., 593-611 Electroencephalography, in congenital infections, 1981: Oct., 462

Empyema, subdural, 1981: Oct., 450
Encephalomeningitis, myocarditis with,
1981: Oct., 489

Endotracheal intubation, complications, 1980: March, 112–114

Enteroviral hepatitis, 1981: Oct., 475 Enteroviral infection, 1981: Oct., 453

cardiovascular disease with, 1981: Oct., 488–491

congenital, diagnosis of, 1981: Oct., 579-589

Enthrane, 1981: Feb., 151

Epidural anesthesia. See Anesthesia, epidural.

Epinephrine, added to local anesthetics, 1982: Feb., 20–21, 69

Erythroblastosis fetalis, intrauterine transfusion in, 1980: Sept., 285–297 ultrasonic assessment, 1980: Sept., 405– 409

Escherichia coli infection, 1981: Oct., 537 Estetrol, in fetal evaluation, 1980: Sept., 420

Estriol, excretion during pregnancy, 1980: Sept., 303

monitoring, with contraction stress testing, 1982: June, 268

urinary, fetal health and, 1980: March, 131–132

versus plasma, in fetal evaluation, 1980: Sept., 416–418

Estriol values, relation to fetal movement, 1982: June, 245

Ethanol, in premature labor, 1980: March, 10–12

Extraction, vacuum, 1981: Feb., 74–75, 79–86

birth injuries and, 1981: Feb., 118 Eye, chlamydial infection of, 1981: Oct.,

in intrauterine infections, 1981: Oct., 415–443

FACE, fracture, as birth injury, 1981: Feb., 121

Facial nerve, birth injuries to, 1981: Feb., 122-123

Facial paralysis, forceps delivery and, 1981: Feb., 67–68

Fentanyl, for systemic analgesia during labor, 1982: Feb., 40

Fetal biophysical profile scoring, 1982: June, 285–296

advantages and limitations, 1982: June, 294-295

Fetal heart rate, accelerations, 1982: June, 331–332

Fetal heart rate (Continued) antepartum testing of, 1980: Sept., 387– 396

autonomic control, 1982: June, 325–326 baseline shifts, hypoxia and, 1982: June, 320–321

correlation with scalp blood and cord acidbase values, 1982: June, 356–360 early decelerations, 1982: June, 328

effects of epidural anesthesia, 1982; Feb., 55–62

hypoxic, 1982: June, 313–324 intrauterine behavioral states and, 1982: June, 434-436

late decelerations, hypoxia and, 1982: June, 315–317

reflex component, 1982: June, 335 effect of epidural anesthesia on, 1982: Feb., 55–62

prolonged deceleration, hypoxia and, 1982: June 319

reflex, alterations, 1982: June, 325–337 relation to fetal movement, 1982: June, 242–245

sinusoidal pattern, hypoxia and, 1982: June, 319

variability, 1982: June, 328–331, 339–352.

causes, 1982: June 340–342 clinical assessment, 1982: June, 346– 347

hypoxia and, 1982: June, 317-319 increased, 1982: June, 334-335

Fetal monitoring, advantages and disadvantages, 1982: June, 399–407 complications of, 1981: Feb., 112–113 current status, 1982: June, 409–422 during labor, 1982: June, 372–373 future of, 1982: June, 433–441 symposium on, 1982: June, 231–450

Fetal oxygen monitoring, current status, 1982: June, 423–431

Fetal scalp blood sampling, 1982: June, 353–361 using TpH electrode, 1982: June, 409–

Fetoplacental blood volume, perinatal redistribution, 1982; Oct., 559-592

Fetus, acid-base balance, 1981: Feb., 88–90 ascites, 1980: Sept., 406–407

Fetus, asphyxia, related to nonobstetric surgery, 1962; Feb., 146–147 biophysical profile of, 1980; Sept., 428– 429

biparietal diameter, ultrasonic measurement, 1980: Sept., 399–400 blood sampling, 1981: Feb., 87–94 complications, 1981: Feb., 112–113 cardiovascular development, 1982: Feb.,

177-178

Fetus (Continued)

distress, cesarean section and, 1981: Feb., 104

distress, monitoring, in diabetic pregnancy, 1982: Feb., 157–158 effect of epidural anesthesia on, 1982: Feb., 67–69

effect of maternal renal disease on, 1981: June, 307–319

exposure to anesthesia, during nonobstetric surgery, 1982: Feb., 144– 146

growth, assessment, 1982: June, 271–284 retardation, 1982: June, 271–279

head circumference, ultrasonic measurement, 1980: Sept., 399 heart autonomic control, 1982: Iur

heart, autonomic control, 1982: June, 325–326

heart rate, antepartum monitoring, 1980: Sept., 290–291, 387–396 effect of epidural anesthesia on, 1982:

Feb., 55–62 effect of oxytocin on, 1981: Feb., 38, 45 monitoring, fetal scalp abscess and, 1981: Feb., 113

transcutaneous PO<sub>2</sub> and, 1982: Feb., 97 high risk, identification of, 1980: March,

hormonal assessment of, 1980: Sept., 413-421

hyperactivity, 1982: June, 238–239 immune system of, 1981: Oct., 510

infection in, premature rupture of membranes and, 1980: Sept., 245– 246

maternal hypertension and, 1980: Sept., 397–401 intrauterine transfusion, 1982: Sept.,

285-297 low birth weight, delivery, 1982; June

low birth weight, delivery, 1982: June, 374–376 monitoring, 1982: June, 363–380

lung, development, 1982: June, 298–301 accelerating, 1982: June, 368–370 testing, 1982: June, 305–309

lung maturity, induction of, 1981: Feb., 188

macrosomic, 1982: June, 280–282 malposition and presentation, forceps in, 1981: Feb., 73–75

maturity, determining, 1982: June, 297–312

monitoring, intrapartal, 1981: Feb., 189 morbidity, forceps-related, 1981: Feb., 65–70

movement, classification, 1982: June, 234–236

monitoring, 1982: June, 231–252 in high-risk pregnancies, 1982: June, 240–248 Fetus (Continued)

movement, relation to estriol values, 1982: June, 245

relation to gestation age, 1982: June, 236

relation to heart rate, 1982: June, 242-245

relation to time of day, 1982: June, 237 neural tube defects, prenatal diagnosis, 1980: Sept., 227–242

oxygen monitoring, transcutaneous, 1981: Feb., 94–97

postdate, monitoring, 1982: June, 381-386

presentation, breech, anesthesia for, 1982: Feb., 77–87, 131–132 cesarean section in, 1981: Feb., 103– 104

forceps in, 1981: Feb., 74 injuries associated with, 1981: Feb., 117–118; 1982: Feb., 78–80

intrapartum management of, 1981; Feb., 173–181

occiput posterior and transverse, 1981: Feb., 73–74

preterm, response to labor and delivery, 1981: Feb., 185–191

respiratory development, 1982: Feb., 178–179

respiratory movements, 1980: Sept., 423–433 response to hypoxia, 1982: June, 314–315

rest periods, 1982: June, 237–238 sickle cell disease in, screening for, 1980: Sept., 282

stress testing, 1980: Sept., 388–394 thrombocytopenia in, 1980: Sept., 342

umbilical cord prolapse, anesthetic management, 1981: Feb., 148–149 vacuum extraction of, 1981: Feb., 74–75,

vitamin D metabolism in, 1981: June, 292–293

weight, estimating, 1982: June, 365–367 weight, ultrasonic measurement of, 1980: Sept., 399–400

Feeding tubes, in neonates, 1980: March, 117

Fick's law, in insensible water loss, 1982: Oct., 453–455

Oct., 453–455
Fluid and electrolytes. See also Fluid
halance

diarrhea and, 1981: June, 258 disorders, in newborn, management, 1981: June, 251–262

in fetus and newborn, 1981: June, 227-229

in low-birth-weight infants, 1982: Oct., 637–543

vomiting and, 1981: June, 259

Fluid balance, in congestive heart failure, 1981: June, 260

Fluid balance, in newborn, maintenance, 1981: June, 253–256 in neonatal acute renal failure, 1981: June, 246, 257–258 renal control, 1982: Oct., 523–533

symposium on, 1982: Oct., 453-657 Fluid balance, in the newborn lung, 1982:

Oct., 597
Forceps, Kielland's, birth injuries and,

1981: Feb., 117 obstetrical, 1981: Feb., 63-77

Fungal infection, congenital, 1981: Oct., 542

neurologic manifestations of, 1981: Oct., 456 renal effects, 1981: June, 222

Furosemide, in newborn, 1982: Oct., 549-550

GALLBLADDER. inflammation of, in pregnant patients, 1980: Sept., 359–362

Gastrointestinal system, disorders, associated with nonimmune hydrops fetalis, 1982: Oct., 616

fluid and electrolyte losses from, management of, 1981: June, 258–259 maternal adaptations during pregnancy, 1982: Feb., 141–143

Genetic disorders, renal, in newborn, 1981: June, 361–373

single gene mutations, renal malformations in, 1981: June, 365, 368–369

length, determining, 1982: June, 365–367

multiple, anesthetic management, 1982: Feb., 131–132

Gestational age, effect on insensible water loss, 1982: Oct., 458–460 size for, effect on insensible water loss,

1982: Oct., 460 Gestational disorders, associated with

nonimmune hydrops fetalis, 1982: Oct., 618–620 Gentamicin, in newborn, renal effects,

1981: June, 234–235

Gibbs-Donnan equilibrium, for colloidosmotic pressure, 1982: Oct., 507–511

Glomerulonephritis, acute, arising during pregnancy, 1981: June, 315 chronic, during pregnancy, 1981: June, 309

Glaucoma, congenital, 1981: Oct., 421

Glomerular filtration rate, autoregulation of for sodium in newborn, 1982: Oct., 551

in newborn, 1982: Oct., 524-525

Glomerulotubular balance, of sodium, in neonates, 1982: Oct., 550–551 Glucocorticoids.

Grucocor acoias,

in premature rupture of membranes/ premature labor syndrome, 1980: March, 17-31

Glucose, home monitoring of, in pregnant diabetic, 1980: Sept., 306–307Goiter, in pregnancy, 1980: Sept., 382

Gram-negative bacteria, antibiotic susceptibility of, 1981: Oct., 563

Gram-positive bacteria, antibiotic susceptibility of, 1981: Oct., 561 Granulocyte transfusion, in sepsis, 1981: Oct., 572–574

Graves' disease, infants of mothers with, 1980: Sept., 379

Growth, of fetus, assessment, 1982: June, 271-284

Growth retardation, intrauterine, maternal hypertension and, 1980: Sept., 397-401

HALOTHANE. 1981: Feb., 151 Hearing loss, congenital infection and, 1981: Oct., 453

Heart, disease, congenital infections and, 1981: Oct., 481–497 maternal, intrapartum management, 1981: Feb., 155–164

failure, congestive, in newborn fluid balance in, 1981: June. 260

Heart rate, fetal. See Fetal heart rate.
Heat shielding, for infants under radiant warmers, 1982: Oct., 492–498

Hematologic disorders, associated with nonimmune hydrops fetalis, 1982: Oct., 614

congenital infections and, 1981: Oct., 499–516

Hematuria, proteinuria and, in newborn, 1981: June, 321–332

Hemodialysis, during pregnancy, 1981: June, 312–313

Hemoglobin, glycosylated, in pregnant diabetic, 1980: Sept., 308–309 sickle, pregnancy and, 1980: Sept., 273– 284

Hemolytic disease, Rh, intrauterine transfusion in, 1980: Sept., 285–297

Hemorrhage, intracranial, forceps-related, 1981: Feb., 69–70 obstetric, anesthesia for, 1982: Feb., 11

obstetric, anesthesia for, 1982: Feb., 117 postpartum, anesthetic considerations, 1982: Feb., 121–122

retinal, as birth injury, 1981: Feb., 119 third trimester, 1980: March, 128–129 Hepatic disorders, associated with

Hepatic disorders, associated with nonimmune hydrops fetalis, 1982: Oct., 616 Hepatitis, maternal, 1981: Oct., 607 neonatal, 1981: Oct., 467-480 viral, congenital, 1981: Oct., 471-473 prevention of, 1981: Oct., 629

Hepatitis B infection, 1981: Oct., 467 diagnosis of, 1981: Oct., 579–589 during pregnancy, 1980: Sept., 268–269 neonatal, 1981: Oct., 475–478 perinatal, epidemiology of, 1981: Oct., 407

Heritable disorders, associated with nonimmune hydrops fetalis, 1982: Oct., 617

Herpes simplex infection, congenital, diagnosis of, 1981: Oct., 579–589 eye findings in, 1981: Oct., 437–441 neurologic manifestations of, 1981: Oct., 454

during pregnancy, 1980: Sept., 260–264 hepatic, 1981: Oct., 474 perinatal, epidemiology of, 1981: Oct.,

405–407 prevention of, 1981: Oct., 597–601, 607– 609, 625

Hormones, amniotic fluid, prenatal diagnosis and, 1980: Sept., 413–421

antidiuretic, neonatal renal function and, 1981: June, 233–234, 259–260

Hormonal-renal interaction, in body fluid regulation in newborn infant, 1982: Oct., 535–557

Horseshoe kidney, 1981: June, 363 Human placental lactogen, in fetal evaluation, 1980: Sept., 418–420

Hyaline membrane disease, 1981: Oct., 534Hydatidiform mole, hyperthyroidism and, 1980: Sept., 380

Hydrocephalus, 1981: Oct., 450 Hydronephrosis, hematuria and, in newborn, 1981: June, 324 neonatal, 1981: June, 284, 363–364

Hydrops fetalis, in utero diagnosis, 1982: Oct., 627–636

nonimmune, conditions associated with, 1982: Oct., 613-625

Hyperbilirubinemia, exchange transfusions in, 1980: March, 84–85

kernicterus and, 1980: March, 75–92 phenobarbital in, 1980: March, 83 phototherapy in, 1980: March, 83–84 Hyperkalemia, acute renal failure and, in

newborn, 1981: June, 247

Hypertension, acute renal failure and, in newborn, 1981: June, 247

during pregnancy, 1980: March, 128; 1980: Sept., 313–325; 1981: June, 315–317

anesthesia for, 1982: Feb., 95–111, 122–126

cardiovascular resuscitation, 1982: Feb., 102–103 Hypertension (Continued)

during pregnancy, classification and diagnosis, 1982: Feb., 97-98

intrauterine growth retardation and, 1980; Sept., 397-401

pathophysiology, 1982: Feb., 98–100 preventing convulsions, 1982: Feb., 100–101

preventing intracranial hemorrhage, 1982: Feb., 101–102

termination of pregnancy, 1982: Feb., 103-104

Hyperthyroidism, in pregnancy, 1980: Sept., 376–379

trophoblastic disease and, 1980: Sept., 380

Hypocalcemia, acute renal failure and, in newborn, 1981: June, 248

Hyponatremia, acute renal failure and, in newborn, 1981: June, 247

Hypophosphatemia, acute renal failure and, in newborn, 1981: June, 248

Hypoplasia, renal, in newborn, 1981: June, 363–364

Hypothyroidism, congenital, 1980: Sept., 381

in pregnancy, 1980: Sept., 380–381 Hypoxia, effects of, 1982: June, 313–314 on fetal heart rate variability, 1982:

June, 343–345 fetal heart rate patterns associated with, 1982: June, 313–324 response of fetus, 1982: June, 314–315

IMMUNE system, congenital infections and, 1981: Oct., 509-516

fetal, 1981: Oct., 510 Immune thrombocytopenic purpura, in pregnancy, 1980: Sept., 337–342

Immunity, maternal, congenital infections and, 1981: Oct., 509–516

Immunodeficiency, congenital infections and, 1981: Oct., 511

Immunosuppression, during pregnancy, 1980: Sept., 341

Incubator, double-walled, effect on insensible water loss, 1982: Oct., 466 Indomethacin, in newborn, renal effects,

1981: June, 221–222
Infant. See *Neonate* and under specific disorders and procedures

disorders and procedures. Infantile polycystic kidney disease, 1981: June, 384–388

acute renal failure and, in newborn, 1981: June, 248

bacterial, diagnosis of, 1981: Oct., 537-558

jaundice with, 1981: Oct., 469 prevention of, 1981: Oct., 611-613 treatment of, 1981: Oct., 559-577 Infantile polycystic kidney disease (Continued)

catheter-related, 1980: March, 111 congenital, associated with nonimmune hydrops fetalis, 1982: Oct., 617–618

cardiac manifestations of, 1981: Oct., 481-497

hematologic manifestations of, 1981: Oct., 499–516

immunologic aspects of, 1981: Oct., 509–516 neurologic manifestations of, 1981:

Oct., 445-465 fungal, 1981: Oct., 542

intrauterine, ocular findings in, 1981: Oct., 415–443

prevention of, 1981: Oct., 617–637 perinatal, epidemiology of, 1981: Oct., 397–414

prevention of, prenatal care in, 1981: Oct., 605-616

viral, perinatal, 1980: Sept., 257–271 diagnosis of, 1981: Oct., 579–589 prevention of, 1981: Oct., 591–604; 605–611

Influenza, during pregnancy, 1980: Sept., 270

Insensible water loss, in newborn, 1981: June, 246, 254; 1982: Oct., 453–482 radiant warmers and, 1982: Oct., 472, 475, 483–503

Insulin, in management of diabetic pregnancy, 1982: Feb., 157

Intensive care, neonatal, symposium on, 1980: March, 1–221

Interferon, 1981: Oct., 596

Intracranial hemorrhage, forceps-related, 1981: Feb., 69–70

Intrauterine fetal transfusion, 1980: Sept., 285–297

Intrauterine growth retardation, effect on placental transfusion, 1982: Oct., 575 maternal hypertension and, 1980: Sept., 397-401

Intrauterine infection, eye findings in, 1981: Oct., 415–443

prevention of, 1981: Oct., 617–637 Intrauterine tuberculosis, 1981: Oct., 471 Invasive monitoring, of labor, 1982: Feb., 8–10

Iodine, maternal ingestion of, 1980: Sept., 384

Iris, stromal atrophy of, 1981: Oct., 421, 423

Isoxsuprine, in labor inhibition, 1981: Feb.,

JAUNDICE, 1981: Oct., 469

KERATITIS, herpetic, 1981: Oct., 438 interstitial, at birth, 418

Ketamine, 1981: Feb., 151 for systemic analgesia during labor, 1982: Feb., 41

Kernicterus, bilirubin encephalopathy and, 1980: March, 75–92

Kidney. See also Renal.

absence of, 1981: June, 363

disorders, polycystic, in pregnancy, 1981: June, 311–312

failure, acute, during pregnancy, 1981: June, 317–318

maternal, disorders, effect on fetus, 1981: June, 307–319

nephrotic syndrome, during pregnancy, 1981: June, 311

newborn, adult polycystic disease of, 1981: June, 382–384 concentrating capacity, 1982: Oct.,

527, 528, 546-547 diluting capacity, 1982: Oct., 528,

546-547 disorders, cystic, 1981: June, 375-390 genetic determinants, 1981: June,

361-373 dysplasia, 1981: June, 363-364, 380-

ectopic, 1981: June, 363-364

failure, anemia in, 1981: June, 248 fluid therapy for, 1981: June, 257– 258

hyperkalemia in, 1981: June, 247 hypertension and, 1981: June, 247 hypocalcemia in, 1981: June, 248 hyponatremia in, 1981: June, 247 hypophosphatemia in, 1981: June, 248

infection and, 1981: June, 248 peritoneal dialysis for, 1981: June, 249, 258

function, catecholamines and, 1981: June, 229–230

clinical disorders and, 1981: June, 215–223

drug therapy and, 1981: June, 221– 222, 234–235

laboratory assessment of, 1981: June, 235

nonrenal factors influencing, 1981: June, 225–240

prostaglandins and, 1981: June, 230– 232

renin-angiotensin-aldosterone system and, 1981: June, 230

vasopressin and, 1981: June, 233– 234, 259–260

horseshoe, 1981: June, 363 hydronephrosis, 1981: June, 284, 324, 363–364

hypoplasia, 1981: June, 363–364 infantile polycystic disease of, 1981: June, 384–388 Kidney (Continued)

newborn, interstitial nephritis, 1981: June, 324

masses in, evaluation, 1981: June, 389 nephrotic syndrome, 1981: June, 326– 327, 333–346, 363, 365

polycystic, 1981: June, 363, 364–465 prostglandins and, 1982: Oct., 543–544 symposium on, 1981: June, **215–390** 

transplantation, for congenital nephrosis, 1981: June, 343 tubular necrosis in, 1981: June, 322

tumors, 1981: June, 325 venous thrombosis in, 1981: June, 323 pelvic, pregnancy and, 1981: June, 312

polycystic, in pregnancy, 1981: June, 311–312

sodium and water transport in, 1982: Oct., 535–536

solitary, pregnancy and, 1981: June, 312 transplantation, pregnancy following, 1981: June, 313–314 tuberculosis, 1981: June, 312

Kielland's forceps, birth injuries and, 1981: Feb., 117

Labor, abnormal, forceps procedures in, 1981: Feb., 72-73

analgesia during, 1982: June, 373–374 Labor, and delivery. See also *Parturition* 

and *Delivery*. difficult, medical-legal aspects, 1981: Feb., 3–14

in twin gestations, 1980: Sept., 404–405 injuries associated with, 1981: Feb., 111–129

premature, 1980: March, 3–15, 130 premature rupture of membranes and, 1980: March, 17–31

symposium on, 1981: Feb., 3–210 arrest disorders, 1981: Feb., 22–23 asphyxia in, 1982: June, 313–314 fetal monitoring during, 1982: June, 372–

in diabetic patient, glucose and insulin therapy during, 1982: Feb., 159–161 induction of, oxytocin in, 1981: Feb., 35–

prostaglandins in, 1981: Feb., 49–62 inhibition of, tocolytic drugs for, 1981: Feb., 186–188

invasive monitoring, 1982: Feb., 8–10 metabolic management, in diabetic, 1980: Sept., 307–308

pain relief, 1982: Feb., 6–8 positioning of parturient, 1982: Feb., 3–6 pregnancy-induced hypertension and,

anesthetic management, 1982: Feb., 104–106

Labor (Continued)

premature, anesthetic management, 1982: Feb., 126–131 causes, 1982: June, 363–364 effect on fetus, 1982: June, 370–371 inhibition, 1982: June, 367–368

resulting from nonobstetric surgery, 1982: Feb., 147–150 protraction disorders, 1981: Feb., 20–21

systemic analgesia during, 1982: Feb., 29–53

uterine contractions during, 1981: Feb., 27–34

Labor curve, 1981: Feb., 15-25, 39-41 Lactation, vitamin D and, 1981: June, 299-301

Lamaze method, in preparation for childbirth, 1981: Feb., 201

Lecithin/sphingomyelin ratio, fetal lung maturity and, 1980: Sept., 309–310, 400–401, 418–420

for testing fetal pulmonary maturity, 1982: June, 305–306

Leukokoria, 1981: Oct., 427

Listeria monocytogenes infection, congenital, 1981: Oct., 541

hepatic signs with, 1981: Oct., 470 Liver, abscess, 1981: Oct., 470

disease, congenital, 1981: Oct., 467–480 Lung, fetal, development, 1982: June, 298–

newborn, edema formation in, 1982: Oct., **593–611** fluid balance in, 1982: Oct., 597–598

Macrosomia, effect on placental transfusion, 1982: Oct., 575

Macrosomia, in postdate fetus, 1982: June 382

Magnesium sulfate, in labor inhibition, 1980: March 12, 19–24; 1981: Feb., 187 Malformation syndromes, neural tube

defects and, 1980: Sept., 230 Mannitol, in newborn, 1982: Oct., 550 Maternal-infant bonding, neonatal intensive

care and, 1980: March, 48–56 Maternal perception, in monitoring fetal movement, 1982: June, 231–232

movement, 1982: June, 231–232 Maternal transport, in high risk pregnancy, 1980: March, 133

Measles, during pregnancy, 1980: Sept.,

Mechanical ventilation. See Ventilation, assisted.

Meckel syndrome, neural tube defects and, 1980: Sept., 230–231

Meconium aspiration, 1981: Oct., 534 treatment, 1982: Feb., 188–189 Meconium passage, in postdate fetus, 1982: June, 382

Membranes, premature rupture of, 1980: March, 129–130 management, 1980: Sept., 243–255 premature labor and, 1980: March, 17–

Meningitis, bacterial, 1981: Oct., 446–448 neonatal, therapy for, 1981: June, 269 treatment of, 1981: Oct., 571

Mental retardation, congenital infection and, 1981: Oct., 451

Meperidine, effects on fetal acid-base balance, 1982: Feb., 44–45 effects on neonatal respiration, 1982:

Feb., 45–47 effects on uterine activity, 1982: Feb.,

43–44 for systemic analgesia during labor, 1982: Feb., 34–39

Metabolic acidosis, in acute renal failure, 1981: June, 248

Microbiologic studies, for infection, 1981: Oct., 545–548

Microcephaly, congenital infection and, 1981: Oct., 451

Microphthalmia, with congenital rubella, 1981: Oct., 419 with congenital toxoplasmosis, 1981: Oct.,

Monitoring. See Fetal monitoring.

Oct., 487

Morphine, for systemic analgesia during labor, 1982: Feb., 40

Monitoring, neonatal. See also Neonatal intensive care. interpretation of data, 1980: March,

93–105
Morgagnian cataract. 1981: Oct., 420
Mumps, during pregnancy, 1980: Sept., 270
Mycoplasma hominis, 1981: Oct., 456
Mycoarditis, rubella virus, neonatal, 1981:

NAIL-patella syndrome, congenital nephrotic syndrome and, 1981: June, 327 Naloxone, as narcotic antagonist in

obstetrics, 1982: Feb., 204 effect on neonatal neurobehavior, 1982:

Feb., 205
Narcotics, obstetric, effect on neonatal neurobehavior, 1982: Feb., 202–204
epidural, 1982: Feb., 170–172
effect on neonatal neurobehavior,

1982: Feb., 206 for postoperative analgesia, 1982: Feb., 173–174

intraspinal, 1982: Feb., 167–175 side effects, 1982: Feb., 172 intrathecal, 1982: Feb., 168–170 Narcotics (Continued)

obstetric, side effects, 1982: Feb., 172 subarachnoid, effect on neonatal neurobehavior, 1982: Feb., 206

Neonatal intensive care, complications of, 1980: March, 107–124

effect on maternal-infant bonding, 1980: March, 48–56

ethics, 1980: March, 141-143

for very-low-birth-weight infants, survival statistics, 1980: March, 135–143

limitations, 1980: March, 141

nurses. See under Nurse

parental responses to, 1980: March, 35-38, 47-60

patient data management in, 1980: March, 145-154

psychiatry in, 1980: March, 33–46 recipients of, follow-up studies, 1980: March, 140

symposium on, 1980: March, 1-221 training and staffing of, 1980: March, 155-158, 159-171, 173-186

Neonate. See also under specific disorders and procedures.

assisted ventilation in, 1980: March, 61-74

birth-related injuries in, 1981: Feb., 111–129

body water homeostasis in, 1982: Oct., 453–657

congenital infection in. See also specific infections.

epidemiology of, 1981: Oct., 397–414 depression, causes, 1982: Feb., 181–182 Neonate, dialysis in, 1981: June, 249, 258 effect of obstetric anesthesia, 1982: Feb., 67–69, 198–202, 206

fluid balance in, symposium on, 1982: Oct., 453–657

handicapped or mentally retarded, effect on parents, 1981: Feb., 207

hematologic status of, 1981: Oct., 499 high risk, transport of, 1980: March, 187– 195

insensible water loss in, 1982: Oct., 453–482

interaction with parents, 1981: Feb., 201–203

kidney. See Kidney, newborn.
low birth weight, fluid and electrolyte therapy in, 1982: Oct., 637–643

monitoring antibiotic therapy in, 1981: June, 263–272

morbidity, forceps-related, 1981: Feb., 65–70

mortality, birth weight and, 1980: March, 135–143

neurobehavior, effect of obstetric anesthesia, 1982: Feb., 191–214 significance of alterations, 1982: Feb., 208–211 Neonate (Continued)

of diabetic mother, 1980: Sept., 304–305 premature, placental transfusion in, 1982: Oct., 574

pulmonary edema in, 1982: Oct., 593-611

resuscitation, 1982: Feb., 177–190 drugs used in, 1982: Feb., 186–187 equipment, 1982: Feb., 186 technique, 1982: Feb., 182 shock, 1982: Feb., 187–188

stillbirth, effect on parents, 1981: Feb., 206–207

thermoregulation, 1982: Feb., 179–181 TpH monitoring in, 1982: June, 420–421 very-low-birth-weight, intensive care for, 1980: March, 135–143

under radiant warmer, insensible water loss in, 1982: Oct., 490–492

vitamin D metabolism in, 1981: June, 294–296

Neoplasms, congenital, associated with nonimmune hydrops fetalis, 1982: Oct., 616

Nephritis, interstitial, in newborn, 1981: June, 324

Nephrolithiasis, in pregnancy, 1981: June. 311

Nephrology, perinatal, symposium on, 1981: June, 215–390

Nephrotic syndrome, congenital, 1981: June, 326–327, 333–346, 363, 365 nail-patella syndrome and, 1981: June, 327

during pregnancy, 1981: June, 311 Nerves, birth-related injuries, 1981: Feb., 122–126

Nervous system, central, in congenital infection, 1981: Oct., 445–465

Neural tube defects, prenatal diagnosis of, 1980: Sept., 227–242

Neurobehavior, of neonate, effect of obstetric anesthesia, 1982: Feb., 191–214 Neurologic manifestations, of congenital

infections, 1981: Oct., 445–465
Nitrous oxide, 1981: Feb., 151

Nonstress test, fetal, 1980: Sept., 303, 391–394; 1982: June, 253–263

fetal breathing movements and, 1980: Sept., 428

frequency, 1982: June, 257–258 indications, 1982: June, 256–257 instrumentation, 1982: June, 256 predictive value, 1982: June, 257

Nurse, in neonatal intensive care, continuing education for, 1980: March, 184–186

expanded role of, 1980: March, 159–171, 185

stress on, 1980: March, 182–183 training and staffing, 1980: March, 173– 186 Nutrition, postpartum, effect on insensible water loss, 1982: Oct., 462

OLIGOHYDRAMNIOS, in hypertensive pregnancy, 1980: Sept., 401 in postdate fetus, 1982: June, 382 Osteopenia, rickets and, in premature

infants, 1981: June, 296-299

Oxygen, maternal administration, effect on fetus, 1982: June 426–430 monitoring, fetal, 1981: Feb., 94–97 therapy, respirators and, complications of,

1980: March, 114-116 transport to fetus, 1982: June, 314

monitoring, in fetus, 1982: June, 423–431 Oxytocin, analogues, in premature labor,

1980: March, 13 pharmacology and use of, 1979: March, 65–85; 1981: Feb., 35–47

Oxytocin challenge test, 1980: March, 132; 1980: Sept., 303

Pain, pathways and perception, 1982: Feb., 29–30

relief of during labor, 1982; Feb., 6–8 Pancreatitis, acute, during pregnancy, 1980; Sept., 349–353

Parasitic infections, prevention of, 1981: Oct., 613

Parents, responses to infants in intensive care, 1980: March, 35–38, 47–60

Parent-infant interaction, 1981: Feb., 201–203

Parturition, in twin pregnancy, 1980: Sept., 404–405

maternal diabetes and, 1981: Feb., 165– 172

maternal heart disease and, 1981: Feb., 155–164

Patent ductus arteriosus, fetal rubella and, 1981: Oct., 484

Patient data management, in neonatal intensive care, 1980: March, 145–154

Peptic ulcer disease, in pregnant patients, 1980: Sept., 362–367

Perinatal care, family-centered, 1980: March, 215

federal programs, 1980: March, 212–213 primary, 1980: March, 215–218 regional, 1980: March, 205–221

community hospital in, 1980: March, 197-203

problems of, 1980: March, 213–214
Perinatal infections, epidemiology of, 1981:
Oct., 397–414

symposium on, 1981: Oct., 395–637 Peripheral nerve, birth-related injury, 1981: Feb., 124–125 Phenobarbital, in hyprebilirubinemia, 1980: March, 83

Phosphatidylglycerol analysis, for testing fetal pulmonary maturity, 1982: June, 306–308

Postdate fetus, intrapartum monitoring and management, 1982: June, 381-386

Phototherapy, effect on insensible water loss, 1982: Oct., 466

for hyperbilirubinemia, 1980: March, 83–84

complications, 1980: March, 117–118 Placenta, abruptions, anesthetic

considerations, 1982: Feb., 119–121 disorders of, associated with nonimmune

hydrops fetalis, 1982: Oct., 618 size, ultrasonic measurement, 1980: Sept., 400–401

vitamin D and, 1981: June, 290–292 Placental transfusion, 1982: Oct., 559–592 effects of, 1982: Oct., 575–585 physiologic determinants, 1982: Oct.,

565–569

Placental previa, anesthetic management, 1981: Feb., 147–148; 1982: Feb., 117–119 Plasma estriol, in fetal evaluation, 1980: Sept., 416–418

Platelet disorders, in pregnancy, 1980: Sept., 327–348

Platelets, congenital infection and, 1981: Oct., 501

Pneumothorax, 1980: March, 114–115 Polycystic kidney disease, in newborn, 1981: June, 363, 364–365

in pregnancy, 1981: June, 311–312 Polyhydramnios, in twin gestations, 1980: Sept., 403–404

Positioning, during labor, 1982: Feb., 3–6 Postnatal age, effect on insensible water loss, 1982: Oct., 460–461

Posture, effect on insensible water loss, 1982: Oct., 463

Prostaglandins, in body fluid regulation in newborn infant, 1982: Oct., 542–544

Preeclampsia, anesthesia for, 1982: Feb., 95–111, 122–126

rollover test for predicting, 1980: Sept., 415

versus hypertension, in pregnancy, 1980: Sept., 316

Pregnancy, acute abdominal pain during, 1980: Sept., 340–369 acute glomerulonephritis during, 1981:

June, 315 chronic glomerulonephritis during, 1981:

chronic glomerulonephritis during, 1981: June, 309 diabetes mellitus in, 1980: March, 127–

128; 1980: Sept., 299–311 dialysis during, 1981: June, 312–313

disorders. See also under specific disorders. platelet, 1980: Sept., 327–348 Pregnancy (Continued)

following kidney transplantation, 1981: June, 313–314

fuel hormone balance during, 1982: Feb., 153-154

hepatitis B virus infection in, 1981: Oct., 475

high risk, antepartum tests in, 1980: Sept., 387–396

biochemical indices in management of, 1980: Sept., 413-421

effects on parents, 1981: Feb., 203–204 identification of, 1980: March, 125–134 laboratory evaluation, 1980: March, 130–133

management, symposium on, 1980: Sept., 225–433

ultrasound in, 1980: Sept., 397-411 use of prostaglandins in, 1981: Feb., 57 hypertension and, 1980: March, 128;

1980: Sept., 313–325; 1981: June, 315-317

maternal adaptations during, effect on anesthesia, 1982: Feb., 113–117, 136– 143

maternal disorders in. See under specific disorders, as *Diabetes mellitus*.

nephrolithiasis and, 1981: June, 311 nephrotic syndrome and, 1981: June, 311 nonobstetric surgery during, anesthesia

for, 1982: Feb., 135–152 outcome, fetal breathing movements and, 1980: Sept., 426–427

premature rupture of membranes during, 1980: Sept., 243–255

post-term, 1980: March, 129 pyelonephritis and, 1981: June, 311

renal function during, assessment of, 1981: June, 307–308

sickle cell disease in, 1980: Sept., 273-284 systemic lupus erythematosus during,

1981: June, 310 twin, ultrasonic assessment of, 1980:

twin, ultrasonic assessment of, 1980: Sept., 402–405

toxemia of, 1980: Sept., 323 thrombocytopenia and, 1980: Sept., 334 vitamin D metabolism during, 1981: June, 289–290

Premature delivery, effect on parents, 1981: Feb., 204–205

Premature rupture of membranes. See *Membranes*, *premature*.

Prematurity, prevention of, 1980: March, 3-15

Prenatal care, 1981: Feb., 3–5 in prevention of congenital infection, 1981: Oct., 605–616

Prenatal diagnosis. See also specific disorders.

Prenatal diagnosis (Continued)

neural tube defects, 1979: Sept., **245–254**; 1980: Sept., 227–242

Progesterone, in premature labor, 1980: March, 8

Prostaglandins, in labor induction, 1981: Feb., 49–62

in newborn, renal function and, 1981: June, 230–232

premature labor and, 1980: March, 12 Protein binding, and placental transfer of local anesthetics, 1982: Feb., 16–22, 31

Proteinuria, hematuria and, in newborn, 1981: June, 321–332

Protozoal infections, neurologic

manifestations of, 1981: Oct., 450–456 Prune belly syndrome, urinary tract

dysfunction with, 1981: June, 283 Psychiatry, in neonatal intensive care unit, 1980: March, 33–46

Pulmonary artery stenosis, fetal rubella and, 1981: Oct., 485

Pulmonary disorders, associated with nonimmune hydrops fetalis, 1982: Oct., 615–616

Pulmonary valve stenosis, in rubella syndrome, 1981: Oct., 486

Purpura, congenital infection and, 1981: Oct., 501

post-transfusion, 1980: Sept., 343–344 Pyelonephritis, chronic, in pregnancy, 1981: June, 311

RADIANT energy, effect on insensible water loss, 1982: Oct., 466–467

Radiant warmers, effect on insensible water loss, 1982: Oct., 472, 475, 483–503

Rapid surfactant tests, for fetal pulmonary maturity, 1982: June, 308–309

Regionalization of perinatal care, 1980: March, 205–221 role of community hospital in, 1980:

March, 197-203

Renal disorders, associated with nonimmune

hydrops fetalis, 1982: Oct., 616 Renal-hormonal interaction, in body fluid regulation in newborn, 1982: Oct., 535– 557

Renal tuberculosis, during pregnancy, 1981: June, 312

Renal venous thrombosis, vs acute adrenal hemorrhage, 1981: June, 323

Renin-angiotensin-aldosterone, in newborn, in body fluid regulation, 1982: Oct., 537–542

renal function and, 1981: June, 230 Renin-angiotensin system, components of,

1981: June, 347-359

Respiratory distress syndrome, assisted ventilation for, 1980: March, 61–74 complications, 1980: March, 114–116 effect on insensible water loss, 1982: Oct., 463

premature rupture of membranes and, 1980: Sept., 248–251

renal functions in, 1981: June, 220 Respiratory distress syndrome, testing,

1982: June, 305–305 Respiratory movements, fetal, 1980: Sept., 423–433

Respiratory system, maternal adaptations during pregnancy, 1982: Feb., 136–140 Respiratory water loss, in neonates, 1982:

Oct., 454-456

Resuscitation, of neonate, 1982: Feb., 177-190

drugs used in, 1982: Feb., 186–187 equipment, 1982: Feb., 186 technique, 1982: Feb., 182

Retardation, mental, congenital infection and, 1981: Oct., 451

Retinal hemorrhage, as birth injury, 1981: Feb., 119

Retinochoroiditis, in congenital toxoplasmosis, 1981: Oct., 427–431 Retinopathy, in cytomegalic inclusion

disease, 1981: Oct., 433–437 of congenital rubella, 1981: Oct., 422, 425

Retrolental fibroplasia, oxygen therapy and, 1980: March, 116

Rh disease, intrauterine transfusion in, 1980: Sept., 285–297

ultrasonic assessment of, 1980: Sept., 405–409

Rickets, vitamin D and, 1981: June, 296-299

Ritodrine, 1981: Feb., 152 in labor inhibition, 1981: Feb., 187

Roentgen examination, in congenital central nervous system infections, 1981: Oct., 459

in perinatal infections, 1981: Oct., 517–536

Rollover test, for predicting pre-eclampsia, 1980: Sept., 415

Rubella, congenital, diagnosis of, 1981: Oct., 579–589

eye findings in, 1981: Oct., 419–426 immunodeficiency and, 1981: Oct., 511 neurologic manifestations of, 1981: Oct., 454

roentgen findings in, 1981: Oct., 552-524

during pregnancy, 1980: Sept., 257–260 epidemiology of, 1981: Oct., 400–402 fetal, cardiovascular damage from, 1981: Oct., 483–487

hepatic manifestations of, 1981: Oct., 474

Rubella (Continued)

prevention of, 1981: Oct., 592-595, 605, 617-623

Rubeola, during pregnancy, 1980: Sept., 269

SCALP blood sampling, fetal, 1982: June, 353–361

using TpH electrode, 1982: June, 409-422

Seizures, infection and, 1981: Oct., 453 Separation, mother-infant, 1980: March, 47-

Sepsis, jaundice with, 1981: Oct., 469 transfusion for, 1981: Oct., 572–574 treatment of, 1981: Oct., 559–577

Shock, neonatal, 1982: Feb., 187–188 Shialidosis, severe infantile, 1981: June, 327 Sickle cell anemia, pregnancy and, 1980: Sept., 273–284

Skull fracture, as birth injury, 1981: Feb., 120

Spinal anesthesia, 1981: Feb., 152Spironolactone, for use in neonates, 1982: Oct., 550

Steroids, during pregnancy, 1980: Sept., 249–250, 340

Stillbirth, effect on parents, 1981: Feb., 206–207

Streptococcal infection, beta-hemolytic, in pregnancy, 1980: Sept., 250 group B, prevention of, 1981: Oct., 612,

626 roentgen findings with, 1981: Oct.,

Streptococcus agalactiae infection, 1981:

Oct., 537 Stress, effect on NICU nurses, 1980: March, 182–183

in neonatal intensive care unit, 1980: March, 33–46

Stress testing, fetal, 1980: Sept., 387–396 for uteroplacental insufficiency, 1982: June, 265–270

Subdural effusion, 1981: Oct., 449 Subdural empyema, 1981: Oct., 450

Supine hypotensive syndrome, anesthesia and, 1982: Feb., 114–115

Surgery, nonobstetric during pregnancy, anesthesia for, 1982: Feb., 135–152

Syphilis, congenital, diagnosis of, 1981: Oct., 579–589 eye findings in, 1981: Oct., 415–419

hepatic manifestations of, 1981: Oct., 473 roentgen findings in, 1981: Oct., 527–

530 prevention of, 1981: Oct., 611

Systemic lupus erythematosus, in pregnancy, 1981: June, 310

Systolic time intervals, of fetal cardiac cycle, 1982: June, 436–440

TERATOLOGY, anesthesia and, 1982: Feb., 143–144

Terbutaline, 1981: Feb., 152 in labor inhibition, 1981: Feb., 187

Thermogenesis, neashivering, 1982: Feb., 179–181

Thiazides, for use in neonates, 1982: Oct., 550

Thiopental, 1981: Feb., 150-151

Thrombocytopenia, congenital infection and, 1981: Oct., 501

drug-induced, 1980: Sept., 343 infection and, 1980: Sept., 342 mechanisms of, 1980: Sept., 330–333

Thrombocytopenic purpura, immune, in pregnancy, 1980: Sept., 337–342

Thrombotic thrombocytopenic purpura, in pregnancy, 1980: Sept., 335–337 Thrombus, from umbilical arterial catheter,

1980: March, 109–111 Thyroid disease, in pregnancy, 1980: Sept.,

Thyroid disease, in pregnancy, 1980: Sept. 371–385
Thyrotoxicosis, neonatal, 1980: Sept., 379

Tocography. See Uterine contractions. Tocolytic drugs, 1981: Feb., 186–188 Tolazoline, in newborn, renal effects, 1981:

June, 221
Toxemia, in pregnancy, thrombocytopenia and, 1980: Sept., 334

Toxoplasmosis, epidemiology of, 1981: Oct., 402–403

eye findings in, 1981: Oct., 426–433 immunodeficiency with, 1981: Oct., 512 liver in, 1981: Oct., 474

neurologic manifestations of, 1981: Oct., 455

prevention of, 1981: Oct., 601, 613, 632 roentgen findings in, 1981: Oct., 525–526 TpH electrode, for fetal scalp blood

sampling, 1982: June, 409–422 Transepidermal water loss, in neonates,

1982: Oct., 453–456 Transfusion, exchange, in patients with sickle cell disease, 1980: Sept., 278–

> in hyperbilirubinemia, 1980: March, 84–85

for bacterial sepsis, 1981: Oct., 572–574 intrauterine fetal, 1980: Sept., 285–297 placental, 1982: Oct., 559–592

platelet, for immune thrombocytopenic purpura, 1980: Sept., 341 twin-to-twin, 1980: Sept., 402–404

Transplantation, kidney, for congenital nephrosis, 1981: June, 343 pregnancy following, 1981: June, 313-314 Transport, maternal-fetal, 1981: Feb., 188 neonatal, 1980: March, 187–195

Tüberculosis, intrauterine, 1981: Oct., 471 renal, during pregnancy, 1981: June, 312 Turin pregnancy, ultrasonic assessment of

Twin pregnancy, ultrasonic assessment of, 1980: Sept., 402–405

Twins, delivery, anesthesia for, 1982: Feb., 87–89

placental transfusion and, 1982: Oct., 575

ULCER, peptic, in pregnant patient, 1980: Sept., 362–367

Ultrasonography, in determining fetal maturity, 1982: June, 303 in diagnosis of hydrops fetalis, 1982:

Oct., 627-636

in monitoring fetal movement, 1982: June, 232, 245

in assessing fetal breathing movements, 1980: Sept., 426–427

in assessing high risk pregnancy, 1980: Sept., 397–411 in diagnosis of neural tube defects, 1980:

Sept., 238–239 in fetal evaluation, 1980: March, 133

in intrauterine transfusion, 1980: Sept., 288–289

Umbilical catheters, complications, 1980: March, 108–111

Umbilical cord, acid-base determinations, 1982: June, 387–399

clamping, early vs late, 1982: Oct., 586–587

disorders of, associated with nonimmune hydrops fetalis, 1982: Oct., 618 prolapse, anesthetic management, 1981:

Feb., 148–149 in breech presentation, 1981: Feb., 175

severance, natural birth and, 1982: Oct., 569–570 Apgar scores and, 1982: June, 388–392

Ureter, anomalies, 1981: June, 363 disorders, in newborn, 1981: June, 283– 284

ectopic, in newborn, 1981: June, 284 Ureteropelvic junction, obstruction, in newborn, 1981: June, 284

Urethra, anomalies, in newborn, 1981: June, 281–282

Urethral valves, prostatic, obstructive uropathy and, 1981: June, 281

Urinary estriol, in fetal evaluation, 1980: March, 131–132; 1980: Sept., 416–418

Urinary tract, infections, during pregnancy, 1981: June, 314–315

obstruction, in newborn, 1981: June, 273–286

Urine, concentrating defect, in infants, 1981: June, 256

Uropathy, obstructive, in newborn, 1981: June, 273-286

Uterine activity, effect of epidural anesthesia on, 1982: Feb., 59–60

Uterine contractions. See also Labor. induction of, oxytocin in, 1981: Feb., 35– 47

quantitation of, 1981: Feb., 27–34, 39–41 Uteroplacental blood flow, and placental transfer of local anesthetic, 1982: Feb.,

transfer of local anesthe

Uteroplacental insufficiency, contraction stress testing, 1982: June, 265–270

Uterus, rupture, anesthetic considerations, 1982: Feb., 121

Uveitis, at birth, 1981: Oct., 416

VACCINATION, against rubella, 1981: Oct., 617–623

Vaccines, 1981: Oct., 617-637

Vacuum extractor, 1981: Feb., 74–75, 79– 86

birth injuries and, 1981: Feb., 118 Malmström, versus forceps, 1981: Feb., 74–75

Varicella, 1981: Oct., 607

during pregnancy, 1980: Sept., 266–268 Varicella-zoster, congenital, eye findings with, 1981: Oct., 441

Vasopressin, in newborn, renal function and, 1981: June, 233–234, 259–260

Ventilation, assisted, 1980: March, 61–74 complications, 1980: March, 114–116 weaning patient from, 1980: March, 71–72

Ventriculitis, congenital, 1981: Oct., 449 Vertebra, fractures, as birth injuries, 1981: Feb., 120

Virus. See under specific types.

Viral hepatitis, congenital, 1981: Oct., 471–473

prevention of, 1981: Oct., 629

Viral infection, diagnosis of, 1981: Oct., 579–589

neurologic manifestations of, 1981: Oct., 450-456

perinatal, 1980: Sept., 257-271

persistent, 1981: Oct., 513 prevention of, 1981: Oct., 591-604, 605-

611
Visceral injuries, birth related, 1981: Feb...

121–122 Vitamin D. lactation and 1981: June 299

Vitamin D, lactation and, 1981: June, 299-301

maternal deficiency of, 1981: June, 293-294

metabolism of, during pregnancy, 1981 June, 289–290

in fetus, 1981: June, 292–293 perinatal, 1981: June, 287–306

placenta and, 1981: June, 290–292

Vocal cord paralysis, birth-related, 1981: Feb., 123, 125

Vomiting, fluid and electrolyte management of, 1981: June, 259

WATER. See also Fluid and electrolytes; and Fluid balance.

insensible loss of, in newborn infants, 1981: June, 246, 254; 1982: Oct., 453– 482

Weight, birth, infant mortality and, 1981: Feb., 183-195

White blood cells, congenital infection and, 1981: Oct., 500

Wilms' tumor, 1981: June, 325